

HOELSCHER

WEATHERSTRIP MANUFACTURING

TRUE DIVIDED LITE



FEATURING 8 NEW TEXTURED INSULATED GLASS OPTIONS

6 NEW SIMULATED DIVIDED LITE DOOR OPTIONS

5 NEW 6 LITE ARCH AND 6 LITE CIRCLE TOP DOORS

3 NEW 4 LITE 1 PANEL DOORS



True Divided Lite

The True Divided Lite Collection offers a wide selection of beautiful textured insulated glass options.


Eight different textured glass options may all be substituted for the standard True Divided Lite clear insulated glass option.*



Baroque
Privacy rating: 2



Flemish
Privacy rating: 3



Water
Privacy rating: 5

2




Stippolyte
Privacy rating: 5



Rain
Privacy rating: 6



Reeded
Privacy rating: 7



Small Reeded
Privacy rating: 8



Satin
Privacy rating: 9

* The standard clear glass options are either Clear Low-E or Clear Beveled Low-E insulated glass, depending on model.

Privacy ratings are subjective and open to interpretation. The higher the privacy rating, the more private and less transparent a particular textured glass option will be.

12" x 12" glass photographs.

Mahogany Stain Selections



JACOBEAN



SPECIAL WALNUT



ENGLISH CHESTNUT



RED OAK



AGED BARREL



EBONY

Knotty Alder Stain Selections




JACOBEAN



SPECIAL WALNUT




ENGLISH CHESTNUT



RED OAK



AGED BARREL



EBONY

- 1) All stain colors shown are available in both satin and gloss finishes. Additional colors available upon request.
- 2) Color will vary due to natural variations in the wood from which the doors are constructed.

6/8 Mahogany True Divided Lite - 4 Lite

4 Lite 1 Panel

Mahogany TDL Door

Size Stock Number
 30" M4L1P2668NRM
 32" M4L1P2868NRM
 36" M4L1P3068NRM

Mahogany TDL Sidelite

Size Stock Number
 14" M2LSL1268NRM

Glass

Clear Beveled Low-E Insulated



Privacy rating: 1

4 Lite 1 Panel Raised Moulding

Mahogany TDL Door

Size Stock Number
 30" M4L1P2668
 32" M4L1P2868
 36" M4L1P3068

Mahogany TDL Sidelite

Size Stock Number
 12" M2LSL1068
 14" M2LSL1268


Note: 12" sidelites have no raised moulding.

Glass

Clear Beveled Low-E Insulated



Privacy rating: 1



TDL Muntin Bar at Glass

2 Lite 1 Panel Sidelite

Mahogany TDL Door

Size Stock Number
 36" M4L2P3068

Mahogany TDL Sidelite

Size Stock Number
 12" M2LSL1068
 14" M2LSL1268

Glass

Clear Beveled Low-E Insulated

Note: 12" sidelites have no raised moulding.



Privacy rating: 1

4 Lite 2 Panel



To order a True Divided Lite Textured Glass Option, add a glass code below the end of a TDL stock number. Example: 3068 Mahogany 4 Lite 1 Panel with Rain glass: **M4L1P3068RN**

WA - Water

SR - Small Reeded

BQ - Baroque

RN - Rain

FL - Flemish

ST - Stippolyte

RE - Reeded

SN - Satin Etch

6/8 True Divided Lite - 6 Lite

6 Lite 1 Panel Raised Moulding



Mahogany TDL Door

Size Stock Number
30" M6L1P2668
32" M6L1P2868
36" M6L1P3068

Mahogany TDL Sidelite

Size Stock Numbers
12" M3LSL1068
14" M3LSL1268

Note: 12" sidelites have no raised moulding.

Glass

Clear Beveled Low-E Insulated

Privacy rating: 1

6 Lite 1 Panel



Mahogany TDL Door

Size Stock Number
24" M6L1P2068NRM
30" M6L1P2668NRM
32" M6L1P2868NRM
36" M6L1P3068NRM

No Raised Moulding

Mahogany TDL Sidelite

Size Stock Numbers
14" M3LSL1268NRM

No Raised Moulding

Glass

Clear Beveled Low-E Insulated

Privacy rating: 1

4

6 Lite 2 Panel



Mahogany TDL Door

Size Stock Number
36" M6L2P3068

Mahogany TDL Sidelite

Size Stock Number
12" M3LSL1068
14" M3LSL1268

Note: 12" sidelites have no raised moulding.

Glass

Clear Beveled Low-E Insulated

Privacy rating: 1

6 Lite Arch Lite - No Moulding



Mahogany TDL Door

Size Stock Number
36" M6LATL1P3068NRM

Glass

Clear Beveled Low-E Insulated

Privacy rating: 1

To order a True Divided Lite Textured Glass option, add a glass code below to the end of a TDL stock number. Example: Mahogany 6 Lite 1 Panel No Raised Moulding with Flemish glass: **M6L1P3068NRMFL**

WA - Water

BQ - Baroque

FL - Flemish

RE - Reeded

SR - Small Reeded

RN - Rain

ST - Stippolyte

SN - Satin Etch

True Divided Lite & Simulated Divided Lite

6 Lite 1 Panel - No Moulding

Mahogany TDL Door

Size Stock Number
 24" M6L1P2080NRM
 30" M6L1P2680NRM
 32" M6L1P2880NRM
 36" M6L1P3080NRM

No Raised Moulding

Mahogany TDL Sidelite

14" M3LSL1280NRM

No Raised Moulding

Glass

Clear Beveled Low-E Insulated



Privacy rating: 1

6 Lite

6/8 Knotty Alder TDL Door

Size Stock Number
 36" KA6LCBLE3068

8/0 Knotty Alder TDL Door

Size Stock Number
 36" KA6LCBLE3080

8/0 door shown.

Glass

Clear Beveled Low-E Insulated



Privacy rating: 1

3068 3/4 Lite 1 Panel for SDL



Mahogany Door

Size Stock Number
 30" M34LE1P2668NRM
 32" M34LE1P2868NRM
 36" M34LE1P3068NRM

No Raised Moulding

Mahogany TDL Sidelite

12" M34SLE1068NRM

No Raised Moulding

Glass

Clear Low-E Insulated

3080 3/4 Lite 1 Panel for SDL



Mahogany Door

Size Stock Number
 30" M34LE1P2680NRM
 32" M34LE1P2880NRM
 36" M34LE1P3080NRM

No Raised Moulding

Mahogany TDL Sidelite


12" M34SLE1080NRM

No Raised Moulding

Glass

Clear Low-E Insulated

Simulated Divided Lite Bar



Size Stock Number
 8' MSDLBAR11480

Size Stock Number
 8' MSDLBAR7880

8/0 True Divided Lite - 4 & 6 Lite

6 Lite 1 Panel Raised Moulding



Mahogany TDL Door

Size Stock Number

30" M6L1P2680

32" M6L1P2880

36" M6L1P3080

42" M6L1P3680

Mahogany Sidelite

Size Stock Number

12" M3LSL1080

14" M3LSL1280

Glass

Clear Beveled Low-E Insulated

Note: 12" sidelites have no raised moulding.

Privacy rating: 1

4 Lite 1 Panel



Knotty Alder TDL Door

Size Stock Number

30" KA4L1P2680

32" KA4L1P2880

36" KA4L1P3080

Mahogany TDL Door (No Raised Moulding)

Size Stock Number

36" M4L1P3080NRM

Glass

Clear Beveled Low-E Insulated

Privacy rating: 1

8/0 True Divided Lite - 6 Lite Arch Top

6 Lite Arch Top



Mahogany TDL Door

Size Stock Number
 36" M6LAT3080
 42" M6LAT3680

Knotty Alder TDL Door

Size Stock Number
 36" KALAT3080
 42" KA6LAT3680

Glass

Clear Beveled Low-E Insulated

Privacy rating: 1

6 Lite Arch Lite NRM



**Mahogany TDL Door
 No Raised Moulding**

Size Stock Number
 36" M6LATL1P3080NRM

Available in 2-1/4" thickness
 42" M6LATL1P3680NRM-2

Glass

Clear Beveled Low-E Insulated

Privacy rating: 1

6 Lite Circle Lite NRM



**Mahogany TDL Door
 No Raised Moulding**

Size Stock Number
 36" M6LCTL1P3080NRM

Available in 2-1/4" thickness
 42" M6LCTL1P3680NRM-2

Glass

Clear Beveled Low-E Insulated

Privacy rating: 1

To order a True Divided Lite Textured Glass option, add a glass code below to the end of a TDL stock number. Example: Mahogany 6 Lite 1 Panel No Raised Moulding with Flemish glass: **M6L1P3068NRMFL**

WA - Water

BQ - Baroque

FL - Flemish

RE - Reeded

SR - Small Reeded

RN - Rain

ST - Stippolyte

SN - Satin Etch

8/0 True Divided Lite - 6 Lite Arch



6 Lite Arch Top
2 Panel Wide Mullion

Mahogany TDL Door

Size Stock Number
42" M6LAT2PW3680

Available without Raised Moulding

Size Stock Number
42" M6LAT2PWN3680

Knotty Alder TDL Door

Size Stock Number
42" KA6LAT2PW3680

Glass

Clear Beveled Low-E Insulated
Privacy rating: 1



Square Top
6 Lite Arch

2-1/4" Mahogany TDL Door

Size Stock Number
42" MSQ6LACBLE1P3680-2

Glass

Clear Beveled Low-E Insulated
Privacy rating: 1

8/0 True Divided Lite - 3 & 4 Lite Arch Top

8/0 True Divided Lite -- 3 Lite & 4 Lite Arch Top

6



3 Lite Arch Top

Mahogany TDL Door

Size Stock Number

5'0" M3LAT5080

6'0" M3LAT6080

Glass

Clear Beveled Low-E Insulated Privacy rating: 1



4 Lite Arch Top

Mahogany TDL Door

Size Stock Number

5'0" M4LAT5080

6'0" M4LAT6080

Glass

Clear Beveled Low-E Insulated Privacy rating: 1

To order a True Divided Lite Textured Glass option, add a glass code below to the end of a TDL stock number. Example: Mahogany 6 Lite 1 Panel No Raised Moulding with Flemish glass: **M6L1P3068NRMFL**

WA - Water

BQ - Baroque

FL - Flemish

RE - Reeded

SR - Small Reeded

RN - Rain

ST - Stippolyte

SN - Satin Etch

8/0 True Divided Lite - 6 Lite Arch



6 Lite Arch Top



6 Lite Arch Curved Panel

Mahogany TDL Door

Size Stock Number
 5'0" M6LAT5080
 5'4" M6LAT5480
 6'0" M6LAT6080

Knotty Alder TDL Door

Size Stock Number
 5'0" KA6LAT5080
 6'0" KA6LAT6080

Glass

Clear Beveled Low-E Insulated
 Privacy rating: 1

Mahogany TDL Door

Size Stock Number
 5'0" M6LCAT5080

Glass

Clear Beveled Low-E Insulated
 Privacy rating: 1

To order a True Divided Lite Textured Glass option, add a glass code below to the end of a TDL stock number. Example: 5080 Mahogany 6 Lite Arch Top with Rain glass: **M6LAT5080RN**

WA - Water
BQ - Baroque

FL - Flemish
RE - Reeded

SR - Small Reeded
RN - Rain

ST - Stippolyte
SN - Satin Etch

8/0 True Divided Lite

3 Lite Circle Lite



Mahogany TDL Door

Size Stock Number
36" M3LCTLCLE1P3080

Glass

Clear Low-E Insulated

Privacy rating: 1

3 Lite 1 Panel



Mahogany TDL Door

Size Stock Number
36" M3LSQTLCLE1P3080
42" M3LSQTLCLE1P3680

Glass

Clear Low-E Insulated

Privacy rating: 1

7 Lite 2 Panel



Mahogany TDL Door

Size Stock Number
36" M7LDCLE2P3080

Glass

Clear Low-E Insulated

Privacy rating: 1

8 Lite Marginal



Mahogany TDL Door

Size Stock Number
36" M8LMCBLE3080

Glass

Clear Beveled Low-E Insulated

Privacy rating: 1



HOELSCHER

WEATHERSTRIP MANUFACTURING CO., INC.

2400 S. Persimmon Street Tomball, TX 77375

* Phone 713-869-6466 * Fax 713-869-6469 * Door Fax 713-861-2909

True Divided Lite Collection Warranty

Hoelscher Weatherstrip Mfg. Co., Inc. offers a limited warranty for one (1) year on all wood doors from the original date of installation of the door. This warranty assures that each such door, for this period, is of good material and workmanship, and free from defects rendering the door unserviceable or unfit for the ordinary, recommended use. This warranty shall be void if the door has not been stored, installed, and maintained in a good workable manner. If the door is installed unfinished, the warranty is void unless the door is sealed within a 72 (seventy two hour) period. During this period, if the door is exposed to rain or any water infiltration, the warranty shall be void. Additionally, all 6 sides of the door (front, back, edges, top, and bottom) must be properly finished and maintained or the warranty is void.

Conditions not Considered Defects Covered by the Hoelscher Warranty

The following conditions are not considered defects which are covered under the Hoelscher warranty: warp (as defined and within the limits prescribed below) ; bow or misalignment of the frame or jamb in which the door is hung; variation or unsatisfactory results in the surface checking of the wood; damage resulting from the causes beyond the control of Hoelscher (within the limits prescribed below); defects from failure to perform normal home owner maintenance or from attempts by non-Hoelscher workmen to repair the door; surface checks on the door that are less than 1/32" in width or less than 2" in length; panel movement or shrinkage of 3/16" or less (temperature, humidity, and direct sunlight may cause the wood panels on your door to shrink slightly, leaving an unstained line in the panel. This movement is normal and the door's construction is designed to allow this movement.); damage caused by the installation of a storm door; leakage in the speakeasy opening in doors with such a feature (with or without decorative iron grille); reducing the height of the door by removing more than one (1") inch from the bottom rail and/or one-half (1/2") inch from the top rail of the door; reducing the width of the door by removing more than one-half (1/2") inch from the stiles at either side. Warp, as mentioned above, is defined as any distortion in the door itself, and does not refer to the frame or jamb in which it is hung. However, the term, "warp" shall not include the related terms of "bow", "cup", or "twist." To be considered warped for the purposes of the warranty; the distortion would have to exceed 1/4" on a 6'8" tall door and 1/2" on an 8'0" tall door. Doors wider than 36 inches or taller than 8 feet are not warranted against warp. If the claimed nonconformity is warp, Hoelscher may defer repairing or replacing the product for up to twelve (12) months from the date of the claim of the date when the products was installed, as it is not uncommon for temporary warp conditions to occur as the door adjusts to local humidity and temperature. The aforementioned damages caused by forces beyond Hoelscher's control include, but are not limited to, damage caused by misuse, abuse, accident, mishandling, fire, flood, earthquake, storm, tornado, or other acts of nature. In addition to the above, the Hoelscher warranty does not cover any damages including fading of finish, discoloration, rust or flaking resulting from exposure due to installation without sufficient roof overhang protection, which causes the door to be exposed to an unusual amount of sunlight and /or precipitation. Minimum roof overhang is one in which the roof overhang projects out a distance from the structure no less than one-half (1/2) of the elevation between the bottom of the door and the base of the overhangs highest point above the entryway.

Prefinished Doors

Hoelscher Weatherstrip Mfg. Co. offers a twelve (12) month warranty on all of our prefinished doors. The warranty period begins on the original date of purchase.

Glass Panels

Hoelscher Weatherstrip Mfg. Co. does not warrant any product against glass breakage or glass damage for any reason.

"IG" Insulated Glass Panels

Your insulated glass panel is warranted for a period of two (2) years from the original date of installation. It is warranted against any material obstruction of vision through the unit due to accumulation of dust, moisture, or film on the internal surfaces caused by the failure of the unit's edge seal due to defects in material or workmanship under normal conditions. This warranty shall be void if; the unit is installed in high moisture environments (such as greenhouses or swimming pool enclosures) or film, shades, blinds, or any foreign materials, are used on or near the surface of the unit.

Claim Procedures and Limit on Remedies

All warranty claims must be presented within the warranty period for the specific product as outlined above. Hoelscher will not honor warranty claims made prior to payment in full for the warranted product. Upon validation by Hoelscher of any warranty claim, Hoelscher will at its option: 1) Repair the product and return it FOB our Houston, Texas facility, freight collect: 2) furnish a comparable replacement product (or if the product is no longer produced, a replacement which, in the sole opinion of Hoelscher, constitutes a comparable replacement) FOB our Houston, Texas facility, freight collect: 3) Refund the purchase price paid by the original purchaser of the product by Hoelscher. Hoelscher Weatherstrip Mfg. Co., Inc. reserves the right to inspect, in the field or on our premises, any product which is alleged to be defective, and must be given a thirty (30) day opportunity to have any door which is subject of a war-



Knotty Alder



Mahogany



Divided Lite



Barn



Iron Grille



Contemporary

Hoelscher Weatherstrip Manufacturing Co., Inc.

2400 S. Persimmon Street Tomball, TX 77375

Phone: 713-869-6466 Fax: 713-869-6469

www.HoelscherWeatherstrip.com